STALLENTERPRISES NG. RNDCONCRETESUPPLY

Concrete Supply Product Catalog

715-675-4800

Hours Monday - Friday 7AM - 5PM

141156 Woodland Dr. Wausau, WI 54401

Next day delivery within 60 miles on in stock items!

Londervillesteel.com



History of Quality & Service

Londerville Steel & Concrete Supply is a family-owned and operated business located in Wausau, WI. We have proudly serviced central Wisconsin's steel and concrete supply needs for over 25 years.

We carry a large variety of steel products such as aluminum, stainless, structural steel, and chrome moly. As well as many other hard to find metals.

Our concrete supply division is also proud to provide all materials for your concrete and masonry construction needs. Londerville's extensive inventory of quality products and knowledge of the industry will help make all concrete and masonry projects go smoothly at a reasonable price.

Call 715-675-4800 or visit londervillesteel.com today to set up your next day delivery for all your steel or concrete supply needs.



Rebar-Steel Reinforcing Bar

USA Made Rebar—Available Sizes

Imported Rebar—

#3 (3/8" dia.) grade 40, 60, A706, & epoxy
#4 (1/2" dia.) grade 40, 60, A706, & epoxy
#5 (5/8" dia.) grade 40, 60, A706, & epoxy
#6 (3/4" dia.) grade 40, 60, A706, & epoxy
#7 (7/8" dia.) grade 60 & epoxy
#8 (1" dia.) grade 60 & epoxy
#9 (1-1/8" dia.) grade 60
#10 (1-1/4" dia.) grade 60
#11 (1-3/8" dia.) grade 60

Available Upon Request

Available in 20', 30', 40', or 60' lengths.

All domestic rebar can be cut to desired length.

Have a small or large project? Ask about rebar drops available for purchase.

Number of Pieces per Ton						
Bar Size	20 ft.	30 ft.	40 ft.	60 ft.		
#3	266	177.3	133	88.7		
#4	149.7	99.8	74.9	49.9		
#5	95.9	63.9	47.9	32		
#6	66.6	44.4	33.3	22.2		
#7	48.9	32.6	24.5	16.3		
#8	37.5	25	18.7	12.5		
#9	29.4	19.6	14.7	9.8		
#10	23.2	15.5	11.6	7.7		
#11	18.8	12.5	9.4	6.3		

Rebar-Steel Reinforcing Bar Fabrication

Resources

- Fulltime in-house detailing and estimating personnel to provide shop drawing to customers for approval before fabrication begins.
- Reduces onsite down time due to fabrication rework.
- Components Packaged and tagged with detailed component tags along with color coordinating which allows for improved onsite placement efficiency.
- Onsite support as required to assist with rebar component placement
- In house delivery along with a network of contracted delivery services allow us to meet our customers delivery expectations with prompt deliveries.
- Over 600 ton of rebar inventory on hand.
- Support projects from single pieces to 2000 ton.
- Complete line of concrete products to support all aspects of concrete construction projects.

Equipment

- 30' Shearline capable of shearing rebar 30' in length and up to #8 bar.
- 40' Shearline capable of shearing rebar 40' in length and up to #14 bar.
- Large table bender capable of bending #14 bar.
- Small table bender capable of bending #8 bar.
- Radius bender which will form up to #11 bar.
- Round hoop bender which will bend up to #6 bar.
- KRB Multiform 1016M Automatic Stirrup Bender capable of forming a wide variety of rebar components up to #5 bar.





Rebar-Basalt Fiber Reinforcing Bar



Gatorbar Product Features

Parity—Its high tensile strength allows #3 GATORBAR to replace #4 Rebar

Labor Savings—Labor savings estimated at 1 man-hour per ton of steel replaced

Extended Structure Life—No rust high strength equals long life

Freight Savings—At less than 1/7 the weight of #4 Rebar, GATORBAR offers more shipping capabilities

Available Size 3/8 dia. x 20' Sold by the bundle 25pc. Bundle



We now carry pre-made GatorBar corners!

Reinforcing - Wire Mesh & Decking



Flat Mesh Available Sizes 4x4x4.0/4.0—4ga. 8'x15' flat mesh 6x6x4.0/4.0—4ga. 8'x15' flat mesh 4x4x2.9/2.9—6ga. 8'x15' flat mesh 6x6x2.9/2.9—6ga. 8'x15' flat mesh 6x6x2.1/2.1—8ga. 8'x15' flat mesh 6x6x1.4/1.4—10ga. 8'x15' flat mesh



Rolled Mesh.

6x6x1.4/1.4—10ga. 5'x150' rolled mesh *All mesh sold by bunk or individually.

Metal Deck Products

Roof Deck Cellular Deck

Form Deck


Composite Floor Deck

Reinforcing Dowel Materials

Available Sizes & Materials 1/2" x 12" to 1-1/4" x 18"

Available in smooth steel, rebar, or epoxy coated variety.

Plate dowel systems also available.



Anchor Bolts

Black or galvanized anchor bolts with hook.



Reinforcing Positioner Materials



Plastic or Steel Rebar Chairs

Available Sizes 1" to 6" high



Slab Bolsters

Sizes 1"x5' to 6"x5' *1/2" Height Increments Plastic Dip Continuous

Options



Wire Bar Ties

<u>Qty./Roll</u>
1000, 5000
5000
100, 1000, 5000
5000



16ga. Tie Wire Roll


Sold Per Roll or by the Box

Reinforcing Positioner Materials



Max Rebar Tie Guns

RB441T





RB611T *Ties up to #10 rebar





RB518 *Ties up to #8 rebar

RB398 *Ties up to #6 rebar



TW898 wire rolls sold 50/box TW 1061T wire rolls sold 30/box All wire sizes available.

Concrete Forming Materials





Flatwork, curb, and flex forms.



Sono Tubes - Concrete Forming Tubes

8″x12′	20"x12'
10"x12'	24"x12'
12"x12'	26"x12'
14"x12'	28"x12'
16"x12'	30"x12'
18"x12'	36"x12'
	42"x12'



Turnbuckle Form Aligners Bent or Straight


Steel / Plywood Waler Bracket 2"x4" 2"x6"

Other Accessories

- -Elite Form Corners
- -Adjustable Wedge Bolt (100/pail)
- -Base Tie Wedge (250/pail)
- -Standard Wedge Bolt (250/pail)
- -1/2" Pop Rivets (1000/bag)

- -Long Wedge Bolt (250/pail)
- -Short Wedge Bolt (250/pail)
- -Round Head Pin (250/pail)
- -Curved Wedge (250/pail)
- -Forming Plywood

Concrete Forming Accessories



4-3/4" ends or 8-1/4" ends

Concrete Forming Accessories





Residential Wall Tie *Bent ties stocked

Aluminum Form Ties



Nominal Wall Tie



Full Wall Tie

Stakes



Nail Stakes w/ Holes (10/pack)

3/4"x12"	7/8"x18"
3/4"x18"	7/8"x24"
3/4"x24"	7/8"x30"
3/4"x30"	7/8"x36"
3/4"x36"	



Form Release 5 gal. 55 gal. 275 gal



Concrete Joint Materials



Fiber Expansion Joint


1/2"x 4 "x5' 1/2" x 4"x10' 1/2" x 5"x5' 1/2" x 5"x10' 1/2" x 6"x5' 1/2" x 6"x10' *sold in 100' increments

Foam Expansion Joint

1/2" x 3" x 50' 1/2" x 4" x 50' 1/2" x 5" x 50' 1/2" x 6" x 50' 3/8" x 3" x 50' 3/8" x 4" x 50' 3/8" x 6" x 50'



Water Stop



PVC Waterstop

4" x 3/16" x 50' - 13 RCB 6" x 3/16" x 50' - 14 RCB 6" x 3/8" x 50' - 15 RCB T's and X's

Concrete Chemicals, Grout, & Mortar Materials







Products

- Concrete Cure & Seals
- Decorative Concrete Sealers
- Exposed Aggregate Products
- Low VOC Sealers
- Water Repellent and Paver Sealers
- Densifiers, Floor Hardeners & Stain Guards
- Concrete Stain Systems & Color Packs
- Polyaspartic & Rapid Cast Materials

Concrete Chemicals, Grout, & Mortar Materials





Form Coatings & Curing Compounds

Water Repellents

Decorative Colors

Chemical Hardeners,

Densifiers, & Toppings

Curing & Sealing Compounds FGS Products Patch & Restoration Products



Concrete

Admixtures Anchoring, Bonding, & Lo-Mods Crack Repair Grouting & Spall Repair Corrosion Treatment Structural Strengthening Sealants Joint Sealing & Waterproofing Polysulfides Primers Polyurethane Sealants Silicones

Protective Coatings for Concrete

Waterproofing, Protective, & Decorative Coatings Sikalastic Traffic Systems Air Barrier Systems & Protective Silane Sealers

Concrete Chemical Accessories



Chapin Sprayers

Chapin Accessories









Concrete Color

A SIKA BRAND

Integral Concrete Color

Color Hardener

Antiquing & Release

Agents

Concrete Stain

Concrete Overlays

Countertop Mix

Vertical Overlay

Surface Preparation

Curing & Sealing

Top Surface Retarder

Repair





Ask about our concrete stamp rental!



Insulation & Drainage Systems



4' x 8' (250 PSI) Foam Insulation Board

Available in 1", 1.5", & 2" thickness Purchase by the sheet or full 8' bunk Quantity Discounts Available

Dual Wall Plastic or Steel Culverts

Couplers, aprons, endwalls, and all other accessories available Available in 20', 24', or 30' lengths

Drain Tile

Available in 100', 200', or 250' lengths Perforated with sock Perforated without sock Solid Couplers, T's, and all other accessories available

Trench Drains and Accessories





The **new** and **improved** PROFORM[™] HD (Heavy Duty) is an innovative, efficient alternative to traditional wood or PVC forms. This dual-wall corrugated HDPE system actually forms the footings while at the same time providing superior drainage and radon venting – all in one easy step!

Masonry Supplies



27"x96"

Self-Furring Galvanized Lath *sold by 10pc bundle or 250pc bunk



Reinforcing Truss 500 lf/pack

*available in mill galvanized or hot dip galvanized



Reinforcing Ladder 500 lf/pack

*available in mill galvanized or hot dip galvanized



Other Masonry Products

Dovetail Anchors Weep Vents Vee Ties Corrugated Wall Ties Drip Edge Screw On Channel Dovetail Slot Anchors Pintles Vee Byna Ties Termination Bar Cell Vents Rubber Control Joint

Flashing Masonry Mat Grout Shield TEK Screws X-Seal Anchors Control Jams

Tools & Equipment









Ride On Power Trowels







Tools & Equipment





Leica Rugby Rotating Laser Levels

Batteries, tripods, measuring rods, and all other accessories available.





Angle Grinders





Beveling Tools

Abrasives/Cut Off Wheels

Hand Tools & Supplies







Masonry Tools Concrete Tools General Contractor Supplies Drywall/Plaster Tools Asphalt Tools





Diamond Blades

Nails















Anchoring Systems

Injection Epoxies

Bollard post covers

Available in various sizes and colors





Concrete Curing Blankets

Polyurethane Sheeting

Reinforced Polyurethane







Solvent or Water Based Marking Paint



Window Wells

Covers & Accessories






Pour-in-Place Windows Basement Windows



Standard Rebar Bends



Rebar Size & Weight Chart

Ba	ar Size	Bar Diameter	Weight	Weight per Length			
Inch	Metric	Inch	per Foot	20 ft.	30 ft.	40 ft.	60 ft.
#3	#10	3/8"	0.376 lb.	7.52 lb.	11.28 lb.	15.04 lb.	22.56 lb.
#4	#13	1/2"	0.668 lb.	13.36 lb.	20.04 lb.	26.72 lb.	40.08 lb.
#5	#16	5/8"	1.043 lb.	20.86 lb.	31.29 lb.	41.72 lb.	62.58 lb.
#6	#19	3/4"	1.502 lb.	30.04 lb.	45.06 lb.	60.08 lb.	90.12 lb.
#7	#22	7/8"	2.044 lb.	40.88 lb.	61.32 lb.	81.76 lb.	122.64 lb.
#8	#25	1"	2.67 lb.	53.4 lb.	80.1 lb.	106.8 lb.	160.2 lb.
#9	#29	1-1/8"	3.4 lb.	68 lb.	102 lb.	136 lb.	204 lb.
#10	#32	1-1/4"	4.303 lb.	86.06 lb.	129.09 lb.	172.12 lb.	258.18 lb.
#11	#36	1-3/8"	5.313 lb.	106.26 lb.	159.39 lb.	212.52 lb.	318.78 lb.

Number of Pieces per Ton						
Bar Size	20 ft.	30 ft.	40 ft.	60 ft.		
#3	266	177.3	133	88.7		
#4	149.7	99.8	74.9	49.9		
#5	95.9	63.9	47.9	32		
#6	66.6	44.4	33.3	22.2		
#7	48.9	32.6	24.5	16.3		
#8	37.5	25	18.7	12.5		
#9	29.4	19.6	14.7	9.8		
#10	23.2	15.5	11.6	7.7		
#11	18.8	12.5	9.4	6.3		

Notes

Notes

Notes